

PRODUCT COMPLIANCE SCHEDULE

Guangdong Longde Glass Products Co., LTD

COMPANY ADDRESS:

shanshuidadao, sanshui, Foshan, Guangdong Province, China, 511335

This schedule identifies the Certified Product(s) on which the PAS-Mark and CSI Licence Number may be used.

AS 4666:2012 Insulating glass units
(Including Amendment, No1:2018)

IGU SYSTEM DESCRIPTION	
Types of substrates:	Annealed, Heat Treated, Coated, Patterned, Laminated, Low E Hard Coated, Low E Soft Coated. Any combination of the above substrates.
Types of sealants:	Primary: Julong Butylene. Secondary: Guangzhou Antai Two-Component Silicone, 165
Spacer bar description:	Anodized Aluminium spacer, Supplier: Zhuozhou Chunguang.
Spacer bar width:	6mm, 9mm, 12mm, 15mm, 16mm, 18mm, 19mm, 20mm and 27mm.
Desiccant:	Desiccant filled 4 sides, Type 3A Molecular Sieve (Natergy).
IGU Void fill:	1. Atmospheric Air filled, 2. Argon gas filled
Construction components & Fabrication technique:	Mechanical application by automated machine, 4 bent corners continuous strip with metal straight line connector by Zhuozhou Chunguang.
Long Term Test Report Number:	D02407300012
Next Long-Term Test Report Due Date:	02, December 2026

This schedule supersedes any previously issued schedule.

CSI Licence Number: 7664 **Certification Review Date:** 26 December 2024
Certification Issue Date: January 2025 **Next Annual Review Date:** 1 July 2025
Certification Expiry Date: 14 July 2025 **CSI Database ID Number:** 1000254
CSI Schedule Number: CSI Lic No. 7567-2025-01-S1-R0

**Product
Conformance**


Azma Khan
Managing Director

JAS-ANZ

www.jas-anz.org/register



The current validity of this document should be checked by scanning the QR Code or contacting admin@csi-certification.com
This document is the property of CSI and must be returned to CSI upon its request. This document may only be reproduced in its entirety.